



DATE ISSUED: 10 August 2001

UPDATED: 18 March 2013

UPDATED BY: Ursula Potgieter

MATERIAL SAFETY DATA SHEET

KAYAZINON 275 g/l EK

1. COMPANY DETAILS:

Name: Avima (Pty) Ltd
Address: No. 18 Aschenberg Street
Chamdor
Krugersdorp
Tel. Nr.: (011) 769 1300
Fax Nr.: (011) 762 5712
Emergency Tel Nr.: 083 326 3581 / 082 823 4473

2. PRODUCT IDENTIFICATION:

Trade Name: Avi Kayazinon 275 g/l EK
Chemical Family: Organophos Phorus Insecticide / Insecticide Acaracide
Chemical Name: O , O – diethyl O - 2 – isopropyl – 6 – Methylpyrimidin – 4 – yl
Phosphorothioate (IUPAC Name – active ingredient) O,O – diethyl
O - [6 – methyl – 2 – (1 – methylethyl) – 4 - pyrimidinyl]
Phosphorothioate (CA. Name – active ingredient)
Molecular Formula: C₁₂ N₁₂ N₂ O₃ PS (Active ingredient)
UN Nr.: 3017
C.A.S. Nr.: 333 – 41 - 5 (Active Ingredient)
Description of Product: A residual emulsifiable concentrate contact and stomach poison for control of insect pests as indicated on the label . Cholinesterase inhibitor.

3. COMPOSITION:

Hazardous Components: Organophosphorus pesticide – Diazinon = 27.5 %
Aromatic / Aliphatic Solvent = 64.2 %

4. PHYSICAL AND CHEMICAL CHARACTERISTICS:

Appearance: Pale yellow liquid
Odour: Aromatic odour
Density @ 20 °C (kg/ l): 0.899
Solubility in H₂O: Emulsify in water to form a milky white emulsion.

5. FIRE AND EXPLOSION HAZARD:

Flash Point: 35.5 °C
Flammability: Flammable
Auto ignition Temperature: Not available
Decomposition Temperature: Not available
Acute Hazards: Formulation contains organic solvents

DATE ISSUED: 10 August 2001

UPDATED: 18 March 2013

UPDATED BY: Ursula Potgieter

| | |
|--|--|
| Special fire fighting procedures: | Keep fire exposed containers cool with waterspray,. If a leak or spill has not ignited, use water spray to disperse the vapours and to protect personnel attempting to stop leak. No unprotected persons should be allowed the vicinity. Water spray may be used to flush spills away from exposures. Prevent run-off from fire control or dilution from entering streams, sewers or drinking water supply. Contain run-off with temporary earth barriers. |
| Extinguishing Media: | Water spray or fog, foam, dry chemical or carbon dioxide. (water may be ineffective for putting out fires, unless used by experienced fire-fighters) |
| Special protective equipment: | Do not breathe fumes. For fires in close areas, fire fighters must use self-contained breathing apparatus, as well as full protective nitrile rubber gloves, close fitting safety goggles or face shield, effective respiratory protection. Full length protective clothing and boots must be worn when handling gear, this material in an emergency. |
| Hazardous decomposition products: | Toxic fumes including smoke CO ₂ , aldehydes and other decomposition products. |

6. REACTIVITY DATA:

| | |
|--|--|
| Stability: | Stable |
| Conditions to avoid: | Heat, sparks, flame and build up of static electricity, spillage onto roadways, etc. |
| Materials to avoid: | Incompatible with copper – containing materials. |
| Incompatibility: | Strong oxidizers and acids. |
| Hazardous decomposition products: | Incomplete combustion will produce carbon monoxide and other toxic fumes. |
| Degradation: | In the environment degradation occurs. |

7. WARNINGS:

Store under lock and key.
Store in a cool, dry place, away from source of heat & naked flames.
Keep away from oxidizers and acids.
Keep containers closed when not in use.
Minimize skin and eye contact.
Decontaminate all equipment before repairing.
Keep out of reach of children, uninformed persons and animals.
Store away from farm feeds, foodstuffs, eating utensils and drinking water.
Flammable liquid.

8. HEALTH HAZARD DATA: (Acute Hazards & Symptoms)

| | |
|---------------------------------|--|
| Effects of overexposure: | Symptoms of acute poisoning develop within 12 hours (usually within 4 hours) of contact. Headache, fatigue, faintness, giddiness, excessive sweating, nausea, abdominal pains, vomiting, diarrhoea, tightness of the chest, anxiety, blurred vision, confusion, muscle twitching, beginning in the eyelids and tongue, small pupils, respiratory distress, convulsions and coma. |
|---------------------------------|--|

DATE ISSUED: 10 August 2001

UPDATED: 18 March 2013

UPDATED BY: Ursula Potgieter

- Inhalation:** May cause tightness of chest respiratory failure, headache, dizziness, sweating, nausea, vomiting, abdominal cramps, weakness, loss of coordination, seizures, & coma.
- Skin:** Product is can be easily absorbed through the skin. Prolonged or repeated contact may cause dermatitis.
- Eyes:** Will cause irritation, blurred vision & possible blindness.
- Ingestion:** May cause headache, fatigue, faintness, giddiness, excessive sweating, nausea, abdominal pains, vomiting, diarrhoea, tightness in the chest, anxiety, blurred vision, muscle twitching beginning in the eyelids and tongue, small pupils, respiratory distress, convulsions, coma.

9. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Inhalation:** Avoid inhalation of spray mist. Use only in well-ventilated areas, in case of insufficient ventilation, wear suitable respiratory equipment. Approved respiratory equipment must be use when vapour or mists concentrations exceed applicable standards.
- Skin:** Wear protective clothing (long sleeve shirt & pants) as well as protective gloves (solvent resistant gloves). Launder contaminated clothing before re-use. Avoid skin contact. Keep working clothes separately and do not take home. Good personal hygiene practices should always be followed. Provide local emergency shower.
- Eyes:** Avoid contact with eyes. Wear eye & face protection (safety glasses & face shields). When handling this product, wear goggles giving completely eye protection. Normal industrial eye protection practices should be employed. Provide emergency eye wash stations.
- Ingestion:** Store away from food & feedstuffs. Do not eat, drink or smoke whilst handling this product. Wash hands & face after handling the product, before eating and drinking.

10. FIRST AID MEASURES:

- Inhalation:** Remove patient from source of poisoning to well ventilated area and keep him quiet and reassured. If breathing is difficult, give oxygen. If necessary administer artificial respiration and oxygen or closed chest cardiac message. Seek medical attention immediately.
- Skin:** Remove contaminated clothing & shoes. Immediately rinse the affected skin area with plenty of soap & cool water or shower. Do not rub skin. Launder contaminated clothing before re-use. If irritation occurs & persists, seeks medical attention.
- Eyes:** Flush contamination of eyes with copious amounts of clean water for at least 15 min. Cover with a sterile pad and seek medical attention.
- Ingestion:** Keep patient quiet & reassured, rinse mouth with water. If water diluted mixture has been swallowed, induce vomiting by tickling the back path of the throat. If concentrate has been swallowed, firstly give copious quantities of either beaten egg white, starch solution of Milk of Magnesia before inducing vomiting. Repeat until vomiting fluid is clear and free from smell of poison. Never give anything by mouth to an unconscious person. DO NOT apply direct mouth to mouth

DATE ISSUED: 10 August 2001

UPDATED: 18 March 2013

UPDATED BY: Ursula Potgieter

respiration, use a disposable protective mouthpiece. Contact a doctor or hospital.

NOTE TO PHYSICIAN:

Administer Atropine Sulphate, intravenously, (1-4mg) every 5-10 minutes until signs of atropinization(dry flushed skin & tachycardia) ; 2 – PAM 50 mg/kg up to a total dose of 1-2g or 2/3 of this dose of protopam. Repeat oximes if necessary. **DO NOT GIVE MORPHINE, AMINOPHYLLINE, PHENOTHIAZINES, RESERPINE, FUROSEMIDE OR ETHACRYNIC ACID.** SEEK MEDICAL ADVICE AND SHOW THIS MSDS TO A MEDICAL DOCTOR.

11. FIRST AID MEASURES:

Administer doidoxime chloride (Toxogonin, Merck) in cases of severe poisoning in which respiratory depression, muscle weakness and twitchings are severe. When administer early (less than 36 hours after poisoning) obidoxine chloride relieves the nicotinic effects of poisoning.

Adult dosage: 3-5 mg/kg intravenously and slowly, 5ml after atropine administration.

Child's dosage: 4 – 8 mg/kg intravenously and slowly, 5 minutes after Atropine administration (the upper limit should not be exceeded and administration should not be repeated within 2 hours).

12. ACCIDENTAL RELEASE MEASURES:

Notification procedures: Report spills as required to appropriate authorities.
Procedures if material is released or spilled: Evacuate unprotected personnel, dike / contain spill with dry sand, inert material and sweep up and place into proper container as for toxic waste in accordance with local/national regulations. DO NOT BURN. Protective clothing to be worn when clearing spillage. If safe disposal is not possible contact manufacturer, dealer or local representative.
Environmental Precautions: Prevent spills from entering storm sewers or drains, waterways and contact with soil.

13. HANDLING & STORAGE:

Suitable Material: Store in special lined 210ℓ steel drums, 25ℓ or 5ℓ plastic HDPE containers.
Handling /storage precaution: Do not inhale spray mist. Avoid contact with skin, eyes and clothing. Avoid inhalation of fog and vapours, wash with soap and water after use/accidental skin contact. Do not eat, drink or smoke while working. Exposed operating positions must have an efficient local exhaust source, working areas must be well ventilated. In addition to the measures taken usually in the chemical works like splash proof filling and measuring equipment (including vapour stripping). Further personnel protection measures may have to be implemented to avoid possible contact with the product.

DATE ISSUED: 10 August 2001

UPDATED: 18 March 2013

UPDATED BY: Ursula Potgieter

Cleaning of equipment after use: During application and when cleaning equipment and protective clothing, contamination of all sources of drinking H₂O, rivers, dams, other crops or grazing shall be prevented. Clean protective clothing, used protective clothing and the workers personal clothing shall be kept apart. At the end of each day, all protective clothing and respirators, shall be decontaminated, washed, rinsed and dried. Extra care must be taken when cleaning equipment after use.

14. DISPOSAL CONSIDERATION:

Waste disposal: Triple rinse empty container in the following manner:
Invert the empty container over the spray or mixing tank and allow to drain for at least 30 seconds after the flow has slowed down to a drip. Thereafter, rinse the container 3 times with a volume of water equal to a minimum of 10 % of that of the container. Add the rinsings to the contents of the spray tank before destroying the container in the prescribed manner. Product should be utilized completely to avoid disposal.

Disposal of residue: Residue to be disposed of as toxic waste in accordance with local/national regulations. DO NOT BURN.

Disposal of used packing material: Destroy empty containers by perforation or flattening, and DO NOT re-use for any other purpose. DO NOT BURN.

15. TRANSPORTATION DATA:

Hazardous Description Label: Organophosphorous pesticide, liquid, toxic, flammable #
FLASH POINT > 23 °C c.c.

UN Hazard Class: 6.1 (3)

UN Packing Group: III

ICAO/IATA: Shipping Name: Organophosphorous pesticide, liquid, toxic, flammable,
n.o.s contains diazinon.,

Label(s): Poison
Flammable liquid.

Packing group: III

Class: 6.1

Subsidiary risk: 3

UN Number: 3017

TRANSPORTATION DATA: (continue)

Additional information: Contains Diazinon.

16. ENVIRONMENTAL DATA:

DATE ISSUED: 10 August 2001

UPDATED: 18 March 2013

UPDATED BY: Ursula Potgieter

Toxicity Rat: (active) 108-600 mg/kg
(formulation) 4000 mg/kg

Ecotoxicology of technical (active ingredient)

Birds: Acute oral LD50 for: i) Mallard ducklings 3.5 mg/kg
ii) Young Pheasants 4.3 mg/kg

Fish: LC50 (96h) for : i) Bluegill sunfish 16 mg/ℓ
ii) Rainbow trout 2.6 – 3.2 mg/ℓ
iii) Carp 7.6 – 23.4 mg/ℓ

Daphnia: EC50 (24h) 1.4 mg/ℓ

Highly toxic to bees. Avoid release into environment in circumstances different to normal use.

17. OTHER INFORMATION:

CONTAINS PETROLEUM DISTILLATE.

HARMFUL OR FATAL IF SWALLOWED.

HARMFUL IF INHALED.

COMBUSTIBLE LIQUID AND VAPOUR.

MAY CAUSE SKIN IRRITATION ON PROLONGED, REPEATED SKIN CONTACT.

AVOID BREATHING OF VAPOUR OR MIST.

KEEP AWAY FROM HEAT OR FLAME.

KEEP CONTAINER CLOSED.

USE WITH ADEQUATE VENTILATION.

AVOID WEARING OF CLOTHING SOAKED WITH CHEMICAL.

18. NOTE:

THE INFORMATION CONTAINED HEREIN IS BASED ON THE PRESENT STATE OF OUR KNOWLEDGE ON THE PRODUCT, ALL INFORMATION IS GIVEN IN GOOD FAITH BUT WITHOUT GUARANTEE IN RESPECT OF ACCURACY, AND NO RESPONSIBILITY IS ACCEPTED FOR ERRORS OR EMISSION OR THE CONSEQUENCES THEREOF.