



QuickBayt[®]
SPRAY



QuickBayt[®]
SPRAY

INSECTICIDE

QUICKBAYT[®] SPRAY FLY BAIT

IRAC INSECTICIDE GROUP CODE 4A

REG. NO. L7802 Act No. 36 of 1947
 Namibian Reg. No. N-AR 0766

Before using this product read the label carefully.

An attractive spray or paint-on fly bait with long residual action for the control of houseflies in and around animal housing, refuse tips, food handling plants and outside domestic and industrial premises.

ACTIVE INGREDIENTS:

Imidacloprid 100 g/kg
 Tricosene 1 g/kg

REGISTRATION HOLDER: Bayer (Pty.) Ltd. Reg. No. 1968/011192/07
 P.O. Box 143, ISANDO 1600, SOUTH AFRICA TEL: (011) 921 5911

QUICKBAYT[®] is a registered trademark of the Bayer Group. UN No. 3077

1 kg

ZA794791071 - ARTICLE 79666012



House Fly



CAUTION





DISCLAIMER: ALTHOUGH THIS PRODUCT HAS BEEN EXTENSIVELY TESTED UNDER A LARGE VARIETY OF CONDITIONS, FAILURE THEREOF MAY ENSUE AS A RESULT OF A WIDE RANGE OF REASONS. IF THIS IS SUSPECTED, KINDLY NOTIFY THE REGISTRATION HOLDER.

WARNINGS: Handle with care. Harmful when swallowed, inhaled or absorbed through the skin. Toxic to bees, fish and wildlife. Keep out of reach of children, animals and uninformed persons. Store away from food and foodstuffs.

PRECAUTIONS: Wear gloves during application. Do not apply bait to surfaces on which food or feed is stored, prepared or eaten. Wash immediately with soap and water after accidental skin contact. In case of contact with eyes, rinse thoroughly with water. Do not eat, drink or smoke whilst mixing and applying or before washing face and hands. Prevent contamination of foodstuffs, food utensils and drinking water. Place bait out of reach of children, animals and pets. Do not contaminate dams, drains, ponds, streams and other waterways with the product or used containers. Clean application equipment after use with lukewarm water. Do not re-use container for any other purpose.

FIRST AID TREATMENT:

General advice: Move out of dangerous area. Place and transport victim in stable sideways position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

Skin contact: Wash skin immediately with plenty of water and soap. If symptoms persist, call a physician.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

Ingestion: Induce vomiting only, if: 1. patient is fully conscious, 2. medical aid is not readily available, 3. a significant amount (more than a mouthful) has been ingested and 4. time since ingestion is less than 1 hour. (Vomit should not get into the respiratory tract). Rinse mouth. Call a physician or poison control centre immediately.

NOTE TO PHYSICIAN: Treat symptomatically. Monitoring of respiratory and cardiac functions. In case of significant ingestions, perform gastric lavage only within the first 2 hours after ingestion. The application of activated charcoal (carbo medicals) and sodium sulphate is always advisable.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED.

QuickBayt® Spray has a fast knockdown effect on houseflies and a residual efficacy up to 4 weeks in animal housing facilities. **QuickBayt® Spray** can be applied in and around animal housing, such as piggeries, horse stables, cow-sheds and poultry houses, refuse tips, food handling plants and around industrial and domestic premises. **QuickBayt® Spray** is not suitable for direct manure treatment.

Apply **QuickBayt® Spray** where flies tend to congregate. Do not apply the product where bait can be removed by animals licking the bait. Do not apply to animals, feed or drinking supplies, or to areas with which humans comes into contact, e.g. stable gates.

Spray-on application:

The product is to be used as a coarse spray using low pressure (~ 1 bar). Apply **QuickBayt® Spray** at an application rate of 62.5 g / 1 l water / 25 m² ground area. Do not use less than 1 l mixture per 25 m² ground area. It is not necessary to spray the whole area, concentrate on areas where flies tend to sit. Do not apply to walls higher than 2 m. Spray up to the point just before run-off, i.e. ensure that the sprayed areas are well wetted. Shake the mixture well before use. Repeat treatment at 4 week intervals. In cases of very high fly pressure, bait and active ingredient are removed faster by the flies and re-treatment may be required more frequently.

NOTE: 62.5 g QuickBayt® Spray = 75 m^l + 30 m^l in measuring cup (total 105 m^l).

Paint-on application:

Mix 62.5 g **QuickBayt® Spray** with 50 m^l warm water. Apply with a clean brush in patches of ±50 mm x ±200 mm each. Do not exceed 25 m² ground area with 50 m^l mixture. Concentrate on areas where flies tend to sit. Do not treat walls higher than 2 m. Repeat treatment as soon as fly pressure exceeds acceptable threshold levels. In case of very high fly pressure, re-treatment within a few days may be necessary. Where bait cannot be adequately distributed, painted ceiling tiles or similar light board can be used. Suspend boards from the roof out of reach of animals. Do not exceed 25 m² ground area with 50 m^l mixture.

NOTE: 62.5 g QuickBayt® Spray = 75 m^l + 30 m^l in measuring cup (total 105 m^l).

For any product enquiry, contact Bayer Environmental Science - 011 921 5911 during office hours (9am - 5pm). For poisoning emergencies only, Griffon Poison Information Centre may also be contacted - 082 446 8946.

© Bayer (Pty) Ltd. All unauthorized reproduction of this label is forbidden.

Batch no.: See container

Date manufactured: Sien op houer

Shelf life: 2 years after date of manufacture www.environmentalscience.bayer.co.za



6 005317 000662

Bayer

ZA79667345H -
ARTICLE 79666012