



Racumin[®]

TRACKING POWDER

- ✓ Reduced risk of secondary poisoning.
- ✓ Endorsed by the Griffon Poison Information Center.
- ✓ Ideal for integrated rodent management programs.
- ✓ Multiple feed anti-coagulant rodenticide.
- ✓ Effective rodent control in various environments.

AREAS OF USE

- In and around human and animal dwellings
- Factories, warehouses and storage premises
- Refuse dumps

CHARACTERISTICS

- Endorsed by the Griffon Poison Information Center.
- Multiple feed anti-coagulant rodenticide.
- Unique formulation.
- Reduced risk of secondary poisoning.
- Effective rodent control in unique environments i.e. rat trails, rat burrows and manufacturing of own bait.

CONTROLS: Norway rat (*Rattus norvegicus*), Roof rat (*Rattus rattus*) and House mouse (*Mus musculus*).

APPLICATION:

PEST	DOSAGE
RATS & MICE	One part Racumin® Tracking Powder + 15-20 parts bait material. e.g. 30 g in 450-600 g bait material and set out in places frequented by rats.

MODE OF ACTION: Repeated intake of small dosages is required for eradication of rodents.

PACKAGING: 2.5 kg.



Bayer (Pty.) Ltd. Reg. No.1968/011192/07 P.O. Box 143, ISANDO, 1600 SOUTH AFRICA TEL: (011) 921 5911 FAX: (011) 921 5754 Reg. No. L2800 Act No. 36 of 1947

Active Ingredient: Coumatetralyl (anti-coagulant) 7,5 g/kg **CAUTION**
Racumin® is a registered trademark of the Bayer Group.

© Bayer (Pty.) Ltd. Copyright 2014, All rights reserved. www.bayer.co.za

